

# TEHAMA COUNTY HEALTH SERVICES AGENCY

VALERIE S. LUCERO  
EXECUTIVE DIRECTOR

DEANNA GEE  
ASSISTANT EXECUTIVE  
DIRECTOR, ADMINISTRATION

JAYME BOTTKE  
ASSISTANT EXECUTIVE  
DIRECTOR, PROGRAM

RICHARD WICKENHEISER, MD  
PUBLIC HEALTH OFFICER



PUBLIC HEALTH DIVISION  
MINNIE SAGAR, PH DIRECTOR  
1860 WALNUT STREET  
MAILING ADDRESS:  
PO BOX 400, RED BLUFF, CA 96080

(530) 527-6824  
Fax (530) 527-0362

March 24, 2019

Dear Parent or Guardian:

This letter is to inform you that Tehama County Health Services Agency Public Health is investigating a confirmed case of measles. The case was identified in Shasta County and has contacts in Tehama County. The case is related to cases in Butte and are part of a cluster. Tehama County Health Services Agency Public Health is working closely with Butte and Shasta as well as the State Health Department. Measles spreads very easily by air and by direct contact. Simply being in the same room with someone who has measles is enough to become infected. The confirmed measles case did spend some time in Tehama County. California has already had 7 cases this year as of Friday, March 22nd. Because measles is so contagious, we want you to have the following information:

The symptoms of measles usually show up in about 8-12 days after exposure (but this can take up to 21 days). These symptoms are:

- Mild to moderate fever
- Cough, runny nose and red eyes
- After two or three days, the fever spikes, often as high as 104-105°F
- Along with the higher fever, a red blotchy rash appears, usually first on the face, along the hairline and behind the ears. The rash rapidly spreads downward to the chest and back and, finally, to the thighs and feet.

Your child is at risk of developing measles if she/he has never had the disease or has not received all the recommended doses of the measles vaccine.

**PLEASE NOTE: *If there is a confirmed case in a Tehama County school, students, at that school, with vaccination waivers would be excluded from school and quarantined for 21 days after the last exposure.***

Measles vaccine, which is given in combination with rubella and mumps vaccine (MMR) is effective and safe and two doses are recommended for children. If your child has not received MMR vaccine or has only received one dose, we recommend that you contact your healthcare provider for immunization as soon as possible. The vaccine is also available at the Tehama County Health Services Agency, Public Health Division offices at 1850 Walnut Street in Red Bluff and 275 Solano Street in Corning for those who are under 19 years of age and

- Have Medi-Cal
- Have no medical insurance, or insurance which does not cover vaccinations
- Are American Indian or native Alaskan

**If your child develops an illness with fever (101°F or more), cough, runny nose or red eyes, with or without rash, contact your healthcare provider for diagnosis and treatment. Always call first before taking a child with measles symptoms to the doctor's office or the Emergency Room.**

Sincerely,  
Richard Wickenheiser, MD  
Tehama County Health Officer


# TEHAMA COUNTY HEALTH SERVICES AGENCY

VALERIE S. LUCERO  
EXECUTIVE DIRECTOR

DEANNA GEE  
ASSISTANT EXECUTIVE  
DIRECTOR, ADMINISTRATION

JAYME BOTTKE  
ASSISTANT EXECUTIVE  
DIRECTOR, PROGRAM

RICHARD WICKENHEISER, MD  
PUBLIC HEALTH OFFICER



PUBLIC HEALTH DIVISION  
MINNIE SAGAR, PH DIRECTOR  
1860 WALNUT STREET  
MAILING ADDRESS:  
PO BOX 400, RED BLUFF, CA 96080

(530) 527-6824  
Fax (530) 527-0362

24 de marzo, 2019

Estimado Padre o Guardián:

Esta carta es para informarle que La Agencia de Salud del Condado de Tehama, División de Salud Pública está investigando un caso confirmado de Sarampión. El caso fue identificado en el condado de Shasta y tiene contactos en el condado de Tehama. El caso está relacionado al caso en el condado de Butte, y son parte de un clúster. Estamos trabajando cerca con Butte y Shasta, y también el Departamento de Salud del Estado.

El sarampión se propaga muy fácilmente por el aire y por contacto directo. Simplemente estar en el mismo cuarto con alguien que tiene Sarampión es suficiente para infectarse. El caso confirmado de Sarampión si estuvo en el condado de Tehama. California ha tenido ya 7 casos este año desde el viernes 22 de marzo. Por la razón de que el Sarampión es tan contagioso, queremos que tenga la siguiente información:

Los síntomas de Sarampión usualmente se presentan alrededor de 8-12 días después de exposición (pero puede tomar hasta 21 días). Estos síntomas son:

- fiebre leve o moderada
- Toz, rinorrea y ojos rojos
- Después de dos o tres días, la fiebre aumenta, a veces hasta 104-105°F
- Junto con la fiebre alta, erupción con manchas rojas aparece, usualmente comenzando en la cara, por el nacimiento del pelo fino y atrás de las orejas. La erupción se extiende rápidamente abajo al pecho y la espalda, y finalmente a los muslos y los pies.

Su hijo/a esta a riesgo de contraer Sarampión si no ha tenido la enfermedad o si no ha recibido todas las dosis recomendadas de la vacuna de Sarampión.

**AVISO: Si hay un caso confirmado en una escuela en el condado de Tehama, estudiantes en esta escuela con exención de vacunas se excluyeran de la escuela y estarán en cuarentena por 21 días después de la última exposición.**

La vacuna Sarampión, que le den en combinación con las vacunas rubeola y paperas (MMR) es efectiva y segura, y dos dosis son recomendadas para niños. Si su niño/a no ha recibido la vacuna MMR o solo recibido una dosis, recomendamos que llame a su proveedor de cuidado primario para inmunización lo más pronto posible. La vacuna También está disponible en la Agencia de Servicios de Salud del Condado de Tehama, División de Salud Publica en las oficinas en 1850 Walnut Street Red Bluff y 275 Solano Street Corning para los que son menores de 19 años, y

- tienen Medi-Cal
- no tienen seguridad, o la seguridad no cubre vacunas
- son nativos americanos o nativos de Alaska

**Si su niño/a desarrolla enfermedad con fiebre (101°F o más alta), toz, rinorrea u ojos rojos, con o sin erupción, póngase en contacto con su doctor de cuidado primario para diagnosis y tratamiento. Siempre llame antes de llevar a un niño/a con síntomas de Sarampión a la oficina de doctor o a una sala de emergencia.**

Sinceramente,  
Richard Wickenheiser, MD  
Tehama County Health Officer