

RE: RFP 2019-105 Questions

Response to Questions

The purpose of this email is to request clarification of a few items in the RFP. Below are my questions:

- Page 3, Due Date: In this section you provide the address on where to mail or Fedex the RFP responses but you do not clarify what city should be used. I know you are located in Antelope but want to be sure if I should use Antelope or Sacramento for the address information for mailing versus Fedex shipping since they may be different.

The correct address should read:

CENTER JOINT UNIFIED SCHOOL DISTRICT
ATTN: Marvin Lord, Technology Coordinator
8408 Watt Ave.
Antelope, CA 95843

- Please clarify the term length of the contract.

The equipment will be installed during the summer break.

Starting no sooner than; June 1, 2019
Ending no later than; August 2, 2019

- Can the equipment be installed during business hours, Monday thru Friday?

Yes, during business hours, Monday thru Friday, June 1 – August 2, 2019.

- Is it fair to assume that a work area will be provided where we can stage the switches and load the configurations?

Yes, an area at each school will be made available for staging and configuration.

- Does the District intend to wait until eRate funding is provided or will they utilize District funding to begin in advance of the formal eRate funding and reimburse themselves later on when USAC provides the funds?

We will purchase the equipment before the integration period. As early as April 2019 to insure it is available for integration during the June 1 – August 2, 2019 period.
We will utilize District funding to begin in advance of the formal eRate funding and reimbursement.